


THE NEED FOR FEED

CENTRIFUGES FOR FOOD & BEVERAGE



FX  SERIES



www.alliedindyn.com

- Dairy Processing
- Avocado Oil Processing
- Olive Oil Processing
- Soy Processing
- Vegetable Oil Processing
- Juice Manufacturing
- Protein Extraction
- Starches
- Pharmaceutical Manufacturing
- Fish Processing
- Cassava Starch Processing
- Instant Coffee Production
- Lactose Manufacturing
- Casein Manufacturing
- Fermentation Broths
- Lupin Protein Extraction
- Limed Fleshing
- Maize Starch Production
- Palm Oil Extraction
- Much More...

Unit	Feed Capacity	Phase	Empty Decanter Weight	Beach Angle	Total Installed Power	Bowl Diameter
FX100	0.5-2 M3/h (3-44 gpm)	2 or 3	318 kg (700 bs)	10° 8°	7hp	152 mm (6")
FX200	1-10 M3/h (3-44 gpm)	2 or 3	900 kg (1984 lbs)	10° 8°	15hp	254 mm (10")
FX300	5-14 M3/h (20-60 gpm)	2 or 3	1752 kg (3800 lbs)	10° 8°	40hp	356 mm (14")
FX400	17-30 M3/h (75-125 gpm)	2 or 3	4200 kg (9259 lbs)	10° 8°	65hp	457 mm (18")
FX500	35-55 M3/h (154-242 gpm)	2 or 3	6500 kg (14330 lbs)	10° 8°	120hp	559 mm (22")
FX600	45-90 M3/h (200-400 gpm)	2 or 3	9700 kg (21385 lbs)	10° 8°	150hp	660 mm (26")
FX700	68-159 M3/h (300-700 gpm)	2 or 3	15800 kg (34833 lbs)	10° 8°	200hp	762 mm (30")